


HEALTHY HENS

KEEPING THE FLOCK DISEASE-FREE



PEOPLE

People can bring disease to the flock. Ask all visitors if they have had recent contact with other birds, and restrict their access to sheds or bird laying areas if they have.


EVERYONE COMING ONTO THE FARM IS A RISK:



Veterinarians



Workers



Truck drivers



General public

PEOPLE CAN SPREAD DISEASE THROUGH:



Dirty hands



Dirty clothes



Dirty shoes




Other items


PROTECT THE FLOCK BY:



Restricted access



Overclothes




Footbaths



Good hygiene

HEALTHY HENS

KEEPING THE FLOCK DISEASE-FREE




SAFE WATER

Harmful bacteria and viruses can be transferred to your birds via their drinking or cooling water.


ONLY USE SAFE WATER SOURCES:



Town water



Quality bore water



Sanitised surface water

MONITOR WATER QUALITY:



Look and smell




Sanitised water test



Bore water safety


TAKE ACTION IF A PROBLEM IS DETECTED:




Clean water system



Use alternate source




Sanitise water



Monitor bird health

HEALTHY HENS


KEEPING THE FLOCK DISEASE-FREE



OTHER ANIMALS

Wild birds and animals can bring disease to the flock.


KEEP ANIMALS AWAY FROM THE FLOCK:




Waterfowl



Rodents




Feral animals




Domestic animals


ANIMALS CAN SPREAD DISEASE THROUGH:



Droppings



Contact




Expelled breath


PROTECT THE FLOCK BY:




Shut and lock shed doors



Keep fences in good condition



Animal-proof feed storage



Keep the farm clean